GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Single-layer 4-slot Electric Fish Grill

## Equipment parameters

- Dimensions(mm): L1010×W810×H1700
- Voltage: 380V
- Power: 14kW
- Power cord: 3phase 5wire 6square
- Weight: 330KG
- Heating Method: Electric




- No need to ignite,0 second preheating
- Intelligent memory setting, start to use once open
- Quickly grilled in 6-8 minutes
- 10 times energy saving, saving resources
- Save time and effort, save labor costs

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿
商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com
https://greenark.en.alibaba.com/

Cleaning Style

# Hot-wind Multifunctional Display Roaster Oven

## Equipment Parameters

- Dimension: L950*W1250*H2100mm
- Power Line: Three-phase five-wire 6 square meters
- Voltage: 380V
- Weight: 353KG
- Power: 17KW
- Heating Method: Electric

**One-button start Save energy consumption Strong security**



- Special cleaning function, clean and hygienic
- Technological revolution, healthy and smoke-free
- Double-layer heat insulation, moisturizing and energy-saving
- Hot air circulation, even heating
- Standardized operation



ISO9001 quality system certification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

/ Double-door /

# Air drying Cabinet

## Equipment parameters

- Dimensions(mm): L1200×W800×H2080
- Voltage: 220V
- Power: 1.8kW
- Power cord: 1phase 3wire 1.5square
- Weight: 330KG
- Air cooling method: air cooling




- All-round professional functional design
- Military-grade safety performance guarantee
- Intelligent cost reduction and efficiency improvement system
- InteLong-term stable operation architecture

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Semi-circle Teppanyaki Grill Table

## Equipment parameters

- Dimensions(mm): L1700×W1000×H800
- Heating Area(mm): 700×440
- Voltage/Power: 380V / 8kW
- Power cord: 3phase 5wire 4square
- Weight: 380KG
- Heating Method: electromagnetic disk




- Introduce German technologye
- Electrostatic fume purifier
- Special suction port
- Thickened plate
- Personalized customized, can be customized for various functions such as soup, barbecue, teppanyaki, etc

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Rectangle Teppanyaki Grill Table

Equipment parameters

- Dimensions(mm): L1600×W850×H800
- Heating Area(mm): 700x440
- Voltage/Power: 380V / 12kW
- Power cord: 3phase 5wire 6square
- Weight: 350KG
- Heating Method: electromagnetic disk

- Introduce German technology
- Special suction port
- Electrostatic fume purifier
- Thickened plate
- Personalized customized, can be customized for various functionssuch as soup, barbecue, teppanyaki, etc.




FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿
商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com
https://greenark.en.alibaba.com/

# Upgrade Mobile Teppanyaki Grill Table

## Equipment Parameters

| | |
|---|---|
| ■ Dimension: L1420*W730*H800mm | ■ Voltage: 380V/220V |
| ■ Heating Area: 420*370/400*420mm | ■ Weight: 255KG |
| ■ Power: 8KW/5KW | ■ Heating Method: Induction/Gas |

- Food-grade plate certification, rest assured and reliable
- One plate with multiple functions, grilling, roasting, cooking and frying
- Easy to grill a variety of ingredients
- Free movement, use it anytime
- Can be customized according to your needs
- Introduced German technology / electrostatic oil fume purifier / thickened plate / special suction port



ISO9001 quality system certification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Single Control*

# Ultra-Fast Smokeless Barbecue Grill

Equipment parameters

- Dimensions(mm): L700×W600×H370+100
- Voltage: 380V
- Power: 6.5kW
- Power cord: 3phase 5wire 4square
- Heating Area(mm): L550xW180
- Heating Method: heating wire




- Quick Heat | Smoky Finish
- Double-Deck | Effortless
- Fast Seasoning

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Triple Control*

# Ultra-Fast Smokeless Barbecue Grill

Equipment parameters

- Dimensions(mm): L1100×W600×H370+100
- Voltage: 380V
- Power: 12kW
- Power cord: 3phase 5wire 6square
- Heating Area(mm): L950xW180
- Heating Method: heating wire




- Quick Heat | Smoky Finish
- Double-Deck | Effortless
- Fast Seasoning

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Double Control*

# Ultra-Fast Smokeless Barbecue Grill

Equipment parameters

- Dimensions(mm): L800×W600×H900+100
- Voltage: 380V
- Power: 13kW
- Power cord: 3phase 5wire 6square
- Heating Area(mm): L650xW300
- Heating Method: heating wire

2024 Trending 2024 model




- Quick Heat | Smoky Finish
- Double-Deck | Effortless
- Fast Seasoning

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Double Control*

# Ultra-Fast Smokeless Barbecue Grill

Equipment parameters

- Dimensions(mm): L800×W600×H900+100
- Voltage: 380V
- Power: 13kW
- Power cord: 3phase 5wire 6square
- Heating Area(mm): L650xW300
- Heating Method: heating wire

2024 Trending 2024 model




- Quick Heat | Smoky Finish
- Double-Deck | Effortless
- Fast Seasoning

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Triple Control*

# Ultra-Fast Smokeless Barbecue Grill

Equipment parameters

- Dimensions(mm): L1100×W600×H900+100
- Voltage: 380V
- Power: 12kW
- Power cord: 3phase 5wire 6square
- Heating Area(mm): L950xW180
- Heating Method: heating wire

2024

Trending 2024 model



- Quick Heat | Smoky Finish
- Double-Deck | Effortless
- Fast Seasoning

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Model A*

# Charcoal-like Openable Style BBQ Grill

## Equipment parameters

- Dimensions(mm): L1200×W700×H400
- Voltage/Power: 380V/12kW
- Weight: 84KG
- Power cord: 3phase 5wire 6square
- Heating Area(mm): L1000xW300
- Heating Method: Electric




- Charcoal-free electric grill is more environmentally friendly
- Can grill hundreds of skewers at the same time
- 1000*300mm super large baking area
- Open design for easy cleaning
- The temperature can be raised to 650°C to restore the charcoal aroma

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com

https://greenark.en.alibaba.com/

Style B (Down Exhaustion)

# Charcoal-like Openable Style BBQ Grill

## Equipment Parameters

| | |
|---|---|
| ■Dimension:L1200×W750×H930+100（mm） | ■ Power Line: 3 phase 5 wire 6 square |
| ■ Voltage/Power: 380V/12.5KW | ■ Weight: 200KG |
| ■ Heating Area: 1000*300mm | ■ Heating Method: Electric |

- Charcoal-free electric grill is more environmentally friendly
- Can grill hundreds of skewers at the same time
- 1000*300mm super large baking area
- Open design for easy cleaning
- The temperature can be raised to 650°C to restore the charcoal aroma




ISO9001 quality system certification, European Union CE, North American CSA, and other international safety certifications

GREENARK创绿
商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com
https://greenark.en.alibaba.com/

# Charcoal-like Openable Style Shellfish Grill

## Equipment Parameters

- Dimension：L800×W700×H400（mm）
- Power Line: 3 phase 5 wire 6 square
- Voltage/Power: 380V/6KW
- Weight: 45KG
- Heating Area: 500*300mm
- Heating Method: Electric

- Charcoal-free electric grill is more environmentally friendly
- Can grill hundreds of skewers at the same time
- 1000*300mm super large baking area
- Open design for easy cleaning
- The temperature can be raised to 650°C to restore the charcoal aroma




ISO9001 quality system certification, European Union CE, North American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Model B*

# SMOKELESS SALAMANDER

## Equipment parameters

- Dimensions(mm): L850×W470×H700
- Voltage: 380V
- Power: 4.8kW
- Power cord: 3phase 5wire 2.5square
- Weight: 35KG
- Heating Method: Fiberglass heating tube




- High temperature, fast heating, 2 seconds to lock the food password
- Rich in functions, saving 100,000 equipment costs
- Smoke-free certification, saving 30% energy consumption
- Efficient operation by l person, can bake more than 100 kinds of delicacies

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions


*Model A*

# SMOKELESS SALAMANDER

## Equipment parameters

- Dimensions(mm): L1270×W470×H700
- Voltage: 380V
- Power: 9.6kW
- Power cord: 3phase 5wire 4square
- Weight: 68KG
- Heating Method: Fiberglass heating tube

- High temperature, fast heating, 2 seconds to lock the food password
- Rich in functions, saving 100,000 equipment costs
- Smoke-free certification, saving 30% energy consumption
- Efficient operation by l person, can bake more than 100 kinds of delicacies




ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Naples Kiln Pizza Oven

## Equipment parameters

- Dimensions(mm): L1000×W880×H1150
- Voltage: 380V
- Power: 7.5kW
- Heating Area(mm): 800x400
- Heating Method: Heating Element
- Power cord: 3phase 5wire 4square




- Modern Exterior; Multi-purpose Use
- Volcanic Lava Stone; Natural Health
- Sealed Furnace Body; Efficient Heat Retention
- Intelligent Cooking; Energy-saving and Efficient

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Naples Kiln Pizza Oven

## Equipment parameters

- Dimensions(mm): L1000×W880×H1150
- Voltage: 380V
- Power: 7.5kW
- Heating Area(mm): 800x400
- Heating Method: Heating Element
- Power cord: 3phase 5wire 4square




- Modern Exterior; Multi-purpose Use
- Volcanic Lava Stone; Natural Health
- Sealed Furnace Body; Efficient Heat Retention
- Intelligent Cooking; Energy-saving and Efficient

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Lava Rock Pizza Oven

Equipment parameters

- Dimensions(mm): Φ1400*H2200
- Voltage: 380V
- Power: 15kW
- Heating Area(mm): 800x800
- Heating Method: Electric/Gas
- Power cord: 3phase 5wire 10square



- Quick heat transfer without water loss
- Heat Retention & Higher Efficiency
- Express Output & Durability
- Volcanic Lava Stone;Natural Health

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*New model*

# Mobile Teppanyaki Grill

## Equipment parameters

- Dimensions(mm): L1640×W910×H910
- Heating Area(mm): 470×400
- Voltage: 380V/220V
- Power: 5.5kW
- Power cord: 220V-1phase 3wire 6squar
  380V-3phase 5wire 2.5square
- Weight: 260KG
- Heating Method: Electromagnetic (Induction)

**We can customize it according to your needs.**

Introduced German technology / electrostatic fume purifier / thickened board / special air intake




- Certified Food-Grade Material
- All-in-One grill: Frying, Grilling & Stir-Frying
- Effortless Multi-Ingredient Roasting
- Portable Design for Instant Use

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com

https://greenark.en.alibaba.com/

4 layers

# Combi Oven

## Equipment Parameters

| | |
|---|---|
| Dimension: L840×W935×H625（mm） | Power Line: 3 phase 5 wire 4 square |
| Voltage: 380V | Weight: 118KG |
| Power: 9KW | Heating Area: Electric |

Suitable for baking all kinds of grilled food　Energy efficient　Easy to operate

- Rapid Heating
- Hot-wind circulation system
- Rapid heating to 200℃




ISO9001 quality system cetification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

6 layers

# Combi Oven

## Equipment parameters

- Dimensions(mm): L840xW935xH800
- Voltage/Power: 380v/11kW
- Heating Area(mm): 605X425X525
- Power cord: 3phase 5wire 4square
- Weight: 138KG
- Heating Method: Electric Tube

Suitable for baking all kinds of grilled food
Energy efficient Easy to operate



- Suitable for baking all kinds of grilled food
- Energy efficient
- Easy to operate
- Rapid Heating
- Hot-wind circulation system
- Rapid heating to 200℃

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

Commercial Kitchen Intelligent Cooking Promotion Center

+86 17301603219 www.teppanyakigrilltable.com

https://greenark.en.alibaba.com/

# Spanish Charcoal Heating Grilling Oven

## Equipment Parameters

- Dimension: L800xW700xH1200(mm)
- Floor Area: 0.56㎡
- Heating Method: Charcoal
- Weight: 143KG

- Suitable for grilling all kinds of food
- Efficient, energy-saving and easy to operate
- The grilled ingredients have a stronger smoky flavor and are more fragrant
- Depending on the ingredients, you can choose the upper or lower layer to use.



ISO9001 quality system cetification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿
商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com
https://greenark.en.alibaba.com/

# Oil-water Separator Double Tank Deep Fryer

## Equipment Parameters

- Dimension: L800*W800*H800mm
- Heating Method:Electric
- Voltage/Power: 380V/12KW
- Weight: 83KG

- Fast heating, large temperature control range, uniform heating IPX4 standard waterproof design, high-grade stainless steel three-dimensional three-proof protection and radiation-proof casing
- design can be directly sprayed on four sides
- Safe and reliable, easy to clean Liquid expansion dry-boil protection system, longer product life



ISO9001 quality system cetification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Single-layer 4-slot Electric Fish Grill

## Equipment parameters

- Dimensions(mm): L1010×W810×H1700
- Voltage: 380V
- Power: 14kW
- Power cord: 3phase 5wire 6square
- Weight: 330KG
- Heating Method: Electric




- No need to ignite,0 second preheating
- Intelligent memory setting, start to use once open
- Quickly grilled in 6-8 minutes
- 10 times energy saving, saving resources
- Save time and effort, save labor costs

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿
商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com
https://greenark.en.alibaba.com/

Cleaning Style

# Hot-wind Multifunctional Display Roaster Oven

## Equipment Parameters

- Dimension: L950*W1250*H2100mm
- Power Line: Three-phase five-wire 6 square meters
- Voltage: 380V
- Weight: 353KG
- Power: 17KW
- Heating Method: Electric

**One-button start Save energy consumption Strong security**



- Special cleaning function, clean and hygienic
- Technological revolution, healthy and smoke-free
- Double-layer heat insulation, moisturizing and energy-saving
- Hot air circulation, even heating
- Standardized operation



ISO9001 quality system certification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

/ Double-door /

# Air drying Cabinet

## Equipment parameters

- Dimensions(mm): L1200×W800×H2080
- Voltage: 220V
- Power: 1.8kW
- Power cord: 1phase 3wire 1.5square
- Weight: 330KG
- Air cooling method: air cooling




- All-round professional functional design
- Military-grade safety performance guarantee
- Intelligent cost reduction and efficiency improvement system
- InteLong-term stable operation architecture

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Lava Rock Pizza Oven

Equipment parameters

- Dimensions(mm): Φ1400*H2200
- Voltage: 380V
- Power: 15kW
- Heating Area(mm): 800x800
- Heating Method: Electric/Gas
- Power cord: 3phase 5wire 10square



- Quick heat transfer without water loss
- Heat Retention & Higher Efficiency
- Express Output & Durability
- Volcanic Lava Stone;Natural Health

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*New model*

# Mobile Teppanyaki Grill

## Equipment parameters

- Dimensions(mm): L1640×W910×H910
- Heating Area(mm): 470×400
- Voltage: 380V/220V
- Power: 5.5kW
- Power cord: 220V-1phase 3wire 6squar
  380V-3phase 5wire 2.5square
- Weight: 260KG
- Heating Method: Electromagnetic (Induction)

**We can customize it according to your needs.**

Introduced German technology / electrostatic fume purifier / thickened board / special air intake




- Certified Food-Grade Material
- All-in-One grill: Frying, Grilling & Stir-Frying
- Effortless Multi-Ingredient Roasting
- Portable Design for Instant Use

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com

https://greenark.en.alibaba.com/

4 layers

# Combi Oven

## Equipment Parameters

| | |
|---|---|
| Dimension: L840×W935×H625（mm） | Power Line: 3 phase 5 wire 4 square |
| Voltage: 380V | Weight: 118KG |
| Power: 9KW | Heating Area: Electric |

Suitable for baking all kinds of grilled food　Energy efficient　Easy to operate

- Rapid Heating
- Hot-wind circulation system
- Rapid heating to 200℃




ISO9001 quality system cetification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

6 layers

# Combi Oven

## Equipment parameters

- Dimensions(mm): L840xW935xH800
- Voltage/Power: 380v/11kW
- Heating Area(mm): 605X425X525
- Power cord: 3phase 5wire 4square
- Weight: 138KG
- Heating Method: Electric Tube

Suitable for baking all kinds of grilled food
Energy efficient Easy to operate



- Suitable for baking all kinds of grilled food
- Energy efficient
- Easy to operate
- Rapid Heating
- Hot-wind circulation system
- Rapid heating to 200℃

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

Commercial Kitchen Intelligent Cooking Promotion Center

+86 17301603219 www.teppanyakigrilltable.com

https://greenark.en.alibaba.com/

# Spanish Charcoal Heating Grilling Oven

## Equipment Parameters

- Dimension: L800xW700xH1200(mm)
- Floor Area: 0.56㎡
- Heating Method: Charcoal
- Weight: 143KG

- Suitable for grilling all kinds of food
- Efficient, energy-saving and easy to operate
- The grilled ingredients have a stronger smoky flavor and are more fragrant
- Depending on the ingredients, you can choose the upper or lower layer to use.



ISO9001 quality system cetification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿
商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com
https://greenark.en.alibaba.com/

# Oil-water Separator Double Tank Deep Fryer

## Equipment Parameters

- Dimension: L800*W800*H800mm
- Heating Method:Electric
- Voltage/Power: 380V/12KW
- Weight: 83KG

- Fast heating, large temperature control range, uniform heating IPX4 standard waterproof design, high-grade stainless steel three-dimensional three-proof protection and radiation-proof casing
- design can be directly sprayed on four sides
- Safe and reliable, easy to clean Liquid expansion dry-boil protection system, longer product life



ISO9001 quality system cetification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Single-layer 4-slot Electric Fish Grill

## Equipment parameters

- Dimensions(mm): L1010×W810×H1700
- Voltage: 380V
- Power: 14kW
- Power cord: 3phase 5wire 6square
- Weight: 330KG
- Heating Method: Electric




- No need to ignite,0 second preheating
- Intelligent memory setting, start to use once open
- Quickly grilled in 6-8 minutes
- 10 times energy saving, saving resources
- Save time and effort, save labor costs

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿
商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com
https://greenark.en.alibaba.com/

Cleaning Style

# Hot-wind Multifunctional Display Roaster Oven

## Equipment Parameters

- Dimension: L950*W1250*H2100mm
- Power Line: Three-phase five-wire 6 square meters
- Voltage: 380V
- Weight: 353KG
- Power: 17KW
- Heating Method: Electric

**One-button start Save energy consumption Strong security**



- Special cleaning function, clean and hygienic
- Technological revolution, healthy and smoke-free
- Double-layer heat insulation, moisturizing and energy-saving
- Hot air circulation, even heating
- Standardized operation



ISO9001 quality system certification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

/ Double-door /

# Air drying Cabinet

## Equipment parameters

- Dimensions(mm): L1200×W800×H2080
- Voltage: 220V
- Power: 1.8kW
- Power cord: 1phase 3wire 1.5square
- Weight: 330KG
- Air cooling method: air cooling




- All-round professional functional design
- Military-grade safety performance guarantee
- Intelligent cost reduction and efficiency improvement system
- InteLong-term stable operation architecture

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Semi-circle Teppanyaki Grill Table

## Equipment parameters

- Dimensions(mm): L1700×W1000×H800
- Heating Area(mm): 700×440
- Voltage/Power: 380V / 8kW
- Power cord: 3phase 5wire 4square
- Weight: 380KG
- Heating Method: electromagnetic disk




- Introduce German technologye
- Electrostatic fume purifier
- Special suction port
- Thickened plate
- Personalized customized, can be customized for various functions such as soup, barbecue, teppanyaki, etc

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Rectangle Teppanyaki Grill Table

Equipment parameters

- Dimensions(mm): L1600×W850×H800
- Heating Area(mm): 700x440
- Voltage/Power: 380V / 12kW
- Power cord: 3phase 5wire 6square
- Weight: 350KG
- Heating Method: electromagnetic disk

- Introduce German technology
- Special suction port
- Electrostatic fume purifier
- Thickened plate
- Personalized customized, can be customized for various functionssuch as soup, barbecue, teppanyaki, etc.




FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿
商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com
https://greenark.en.alibaba.com/

# Upgrade Mobile Teppanyaki Grill Table

## Equipment Parameters

| | |
|---|---|
| ■ Dimension: L1420*W730*H800mm | ■ Voltage: 380V/220V |
| ■ Heating Area: 420*370/400*420mm | ■ Weight: 255KG |
| ■ Power: 8KW/5KW | ■ Heating Method: Induction/Gas |

- Food-grade plate certification, rest assured and reliable
- One plate with multiple functions, grilling, roasting, cooking and frying
- Easy to grill a variety of ingredients
- Free movement, use it anytime
- Can be customized according to your needs
- Introduced German technology / electrostatic oil fume purifier / thickened plate / special suction port



ISO9001 quality system certification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Single Control*

# Ultra-Fast Smokeless Barbecue Grill

Equipment parameters

- Dimensions(mm): L700×W600×H370+100
- Voltage: 380V
- Power: 6.5kW
- Power cord: 3phase 5wire 4square
- Heating Area(mm): L550xW180
- Heating Method: heating wire




- Quick Heat | Smoky Finish
- Double-Deck | Effortless
- Fast Seasoning

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Triple Control*

# Ultra-Fast Smokeless Barbecue Grill

Equipment parameters

- Dimensions(mm): L1100×W600×H370+100
- Voltage: 380V
- Power: 12kW
- Power cord: 3phase 5wire 6square
- Heating Area(mm): L950xW180
- Heating Method: heating wire




- Quick Heat | Smoky Finish
- Double-Deck | Effortless
- Fast Seasoning

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Double Control*

# Ultra-Fast Smokeless Barbecue Grill

Equipment parameters

- Dimensions(mm): L800×W600×H900+100
- Voltage: 380V
- Power: 13kW
- Power cord: 3phase 5wire 6square
- Heating Area(mm): L650xW300
- Heating Method: heating wire

2024 Trending 2024 model




- Quick Heat | Smoky Finish
- Double-Deck | Effortless
- Fast Seasoning

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Triple Control*

# Ultra-Fast Smokeless Barbecue Grill

Equipment parameters

- Dimensions(mm): L1100×W600×H900+100
- Voltage: 380V
- Power: 12kW
- Power cord: 3phase 5wire 6square
- Heating Area(mm): L950xW180
- Heating Method: heating wire

2024

Trending 2024 model



- Quick Heat | Smoky Finish
- Double-Deck | Effortless
- Fast Seasoning

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

*Model B*

# SMOKELESS SALAMANDER

## Equipment parameters

- Dimensions(mm): L850×W470×H700
- Voltage: 380V
- Power: 4.8kW
- Power cord: 3phase 5wire 2.5square
- Weight: 35KG
- Heating Method: Fiberglass heating tube




- High temperature, fast heating, 2 seconds to lock the food password
- Rich in functions, saving 100,000 equipment costs
- Smoke-free certification, saving 30% energy consumption
- Efficient operation by l person, can bake more than 100 kinds of delicacies

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions


*Model A*

# SMOKELESS SALAMANDER

## Equipment parameters

- Dimensions(mm): L1270×W470×H700
- Voltage: 380V
- Power: 9.6kW
- Power cord: 3phase 5wire 4square
- Weight: 68KG
- Heating Method: Fiberglass heating tube

- High temperature, fast heating, 2 seconds to lock the food password
- Rich in functions, saving 100,000 equipment costs
- Smoke-free certification, saving 30% energy consumption
- Efficient operation by l person, can bake more than 100 kinds of delicacies




ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Naples Kiln Pizza Oven

## Equipment parameters

- Dimensions(mm): L1000×W880×H1150
- Voltage: 380V
- Power: 7.5kW
- Heating Area(mm): 800x400
- Heating Method: Heating Element
- Power cord: 3phase 5wire 4square




- Modern Exterior; Multi-purpose Use
- Volcanic Lava Stone; Natural Health
- Sealed Furnace Body; Efficient Heat Retention
- Intelligent Cooking; Energy-saving and Efficient

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Naples Kiln Pizza Oven

## Equipment parameters

- Dimensions(mm): L1000×W880×H1150
- Voltage: 380V
- Power: 7.5kW
- Heating Area(mm): 800x400
- Heating Method: Heating Element
- Power cord: 3phase 5wire 4square




- Modern Exterior; Multi-purpose Use
- Volcanic Lava Stone; Natural Health
- Sealed Furnace Body; Efficient Heat Retention
- Intelligent Cooking; Energy-saving and Efficient

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

# Lava Rock Pizza Oven

Equipment parameters

- Dimensions(mm): Φ1400*H2200
- Voltage: 380V
- Power: 15kW
- Heating Area(mm): 800x800
- Heating Method: Electric/Gas
- Power cord: 3phase 5wire 10square



- Quick heat transfer without water loss
- Heat Retention & Higher Efficiency
- Express Output & Durability
- Volcanic Lava Stone;Natural Health

FOR MORE DETAILS

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK创绿

商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com

https://greenark.en.alibaba.com/

4 layers

# Combi Oven

## Equipment Parameters

| | |
|---|---|
| Dimension: L840×W935×H625（mm） | Power Line: 3 phase 5 wire 4 square |
| Voltage: 380V | Weight: 118KG |
| Power: 9KW | Heating Area: Electric |

Suitable for baking all kinds of grilled food　Energy efficient　Easy to operate

- Rapid Heating
- Hot-wind circulation system
- Rapid heating to 200℃




ISO9001 quality system cetification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿

400-882-0633 www.greenarkworld.com

Expert in restaurant chain solutions

6 layers

# Combi Oven

## Equipment parameters

- Dimensions(mm): L840xW935xH800
- Voltage/Power: 380v/11kW
- Heating Area(mm): 605X425X525
- Power cord: 3phase 5wire 4square
- Weight: 138KG
- Heating Method: Electric Tube

Suitable for baking all kinds of grilled food
Energy efficient Easy to operate



- Suitable for baking all kinds of grilled food
- Energy efficient
- Easy to operate
- Rapid Heating
- Hot-wind circulation system
- Rapid heating to 200℃

ISO9001 quality system certification, European CE, ROHS and other International safety Certifications

GREENARK 创绿

Commercial Kitchen Intelligent Cooking Promotion Center

+86 17301603219 www.teppanyakigrilltable.com

https://greenark.en.alibaba.com/

# Spanish Charcoal Heating Grilling Oven

## Equipment Parameters

- Dimension: L800xW700xH1200(mm)
- Floor Area: 0.56㎡
- Heating Method: Charcoal
- Weight: 143KG

- Suitable for grilling all kinds of food
- Efficient, energy-saving and easy to operate
- The grilled ingredients have a stronger smoky flavor and are more fragrant
- Depending on the ingredients, you can choose the upper or lower layer to use.



ISO9001 quality system cetification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿
商厨智能烹饪推进中心

173 0160 3219 www.teppanyakigrilltable.com
https://greenark.en.alibaba.com/

# Oil-water Separator Double Tank Deep Fryer

## Equipment Parameters

- Dimension: L800*W800*H800mm
- Heating Method:Electric
- Voltage/Power: 380V/12KW
- Weight: 83KG

- Fast heating, large temperature control range, uniform heating IPX4 standard waterproof design, high-grade stainless steel three-dimensional three-proof protection and radiation-proof casing
- design can be directly sprayed on four sides
- Safe and reliable, easy to clean Liquid expansion dry-boil protection system, longer product life



ISO9001 quality system cetification, European Union CE, Noth American CSA, and other international safety certifications

GREENARK创绿
商厨智能烹饪推进中心

400-882-0633 www.greenarkworld.com
先进企业 先用创绿

# 肉堡烧/多功能铁板炉

## 设备参数

- 设备尺寸：W1060×D900×H900+290（mm）
- 电压功率：380V / 8.5Kw（5.5Kw+3.0Kw）
- 加热方式：电热管
- 电源线：三相五线4平方
- 铁板加热区域：896×390（mm）
- 烤炉保温区域：800×300（mm）

## —— 铁板烧肉堡&烤炉双保温



- 16mm厚食品级铁板台
- 智能精准控温高达280℃
- 高低双区超大保温区域
- 商用专业汉堡肉扒设备

ISO9001 质量体系认证、欧洲 CE 和 RoHS 等国际安全认证